




MnDOT Standard Signs and Markings Summary

Office of Traffic Engineering

2023



R Series

Sign Code	Old Sign Code	Sign Picture	Color	Use	Sign Size (inches)
R1-1			White on Red	B-P	18 x 18
				M, CR-SL, B/Rt	30 x 30
				CR-ML, E	36 x 36
				O	48 x 48
				A minimum size of 36 x 36 inches shall be used for STOP signs that face multi-lane approaches. Where side roads intersect a multi-lane street or highway that has a speed limit of 45 mph or higher, the minimum size of the STOP signs facing the side road approaches, even if the side road only has one approach lane, shall be 36 x 36 inches. Where side roads intersect a multi-lane street or highway that has a speed limit of 40 MPH or lower, the minimum size of the STOP signs facing the side road approaches shall be as shown above based on the number of approach lanes on the side street approach. Multi-Lane - more than one lane moving in the same direction. A multi-lane street, highway, or roadway has a basic cross-section comprised of two or more through lanes in one or both directions. A multi-lane approach has two or more lanes moving toward the intersection, including turning lanes.	
R1-2			White on Red	B-P	18 x 18 x 18
				M, B/Rt	30 x 30 x 30
				CR-SL	36 x 36 x 36
				CR-ML, E	48 x 48 x 48
				F	60 x 60 x 60
R1-2aP			Black on White	M, CR-SL, ML	24 x 18
				E	36 x 30
				F	48 x 36
R1-3P			White on Red	CR-SL, ML	18 x 6
				O	30 x 12
R1-5b (R or L) Left is shown			Black and Red on White	CR-ML, O	36 x 36
R1-6a MN Design			Black, Red and White on Fluorescent Yellow Green	CR-SL, ML	12 x 36**
				CR-SL, ML	12 x 44*
				* In-Street version ** Post-Mounted version	


R Series

Sign Code	Old Sign Code	Sign Picture	Color	Use	Sign Size (inches)
R1-6c MN Design		 For use in school areas	Black, Red and White on Fluorescent Yellow Green	CR-SL, ML	12 x 36**
				CR-SL, ML	12 x 44*
				* In-Street version ** Post-Mounted version	
R1-9a	R1-9b		Black on Fluorescent Green and Black on White	CR-SL, ML	90 x 24
R1-X1 MN Design			Black on White		24 x 30
R1-X3P MN Design	R1-X3	 Typically used under STOP sign in temporary lane closures	Black on White	Use with 30" STOP sign	24 x 18
				Use with 48" STOP sign	30 x 24
R2-1			Black on White	M	18 x 24
				CR-SL	24 x 30
				CR-ML, O	30 x 36
				E	36 x 48
				F	48 x 60
R2-4a	R2-4b		Black on White	CR-SL, ML	24 x 48
				E, O	36 x 72
				F	48 x 96
R2-6bP		 Work zone use only	Black on White	CR-SL, ML	24 x 18
				E, O	36 x 24
				F	48 x 36
R2-12			Black on White	CR-SL, ML	24 x 36
				E, F	36 x 54
R3-1			Black and Red on White	CR-SL	24 x 24
				CR-ML, E	36 x 36
				O	48 x 48


R Series

Sign Code	Old Sign Code	Sign Picture	Color	Use	Sign Size (inches)
R3-2			Black and Red on White	CR-SL	24 x 24
				CR-ML, E	36 x 36
				O	48 x 48
R3-3			Black on White	CR-SL	24 x 24
				CR-ML, E	36 x 36
				O	48 x 48
R3-4			Black and Red on White	CR-SL	24 x 24
				CR-ML, E	36 x 36
				O	48 x 48
R3-4M MN Design	R3-4a		Black and Red on White	CR-SL	24 x 24
				CR-ML, E	36 x 36
				O	48 x 48
R3-5 (R or L) Right is shown			Black on White	CR-SL, ML	30 x 36
				O	48 x 60
R3-5a			Black on White	CR-SL, ML	30 x 36
				O	48 x 60
R3-6 (R or L) Right is shown			Black on White	CR-SL, ML	30 x 36
				O	48 x 60
R3-7 (R or L) Right is shown		LEFT  LEFT	Black on White	CR-SL	30 x 30
				CR-ML	36 x 36
R3-7M (R or L) MN Design Right is shown	R3-7 (AR, AL)	 LEFT	Black on White	CR-SL	30 x 30
				CR-ML	36 x 36

R3-8 LANE-USE CONTROL SIGNS



EXAMPLE



R3-8AED
54 x 30

NOTES:

1. ONLY shall be used under all single-headed arrows (A-C).
2. Signs are to be designated first by panel height and then by the arrows used from left to right.
3. Arrows are first identified by letter A through J. On three section panels using arrows B or E follow the arrow letter identifier with the right (R) or left (L) designation in cases where the arrows could logically face either way.
4. Standard panel height is 30". 48" panel height is for overhead or oversized mounting.
5. Overhead mounting is only allowed for two designations (two section panels).

Sign Code	Sign Picture	Sign Size
R3-8AA		36 x 30
R3-8AB		36 x 30
		54 x 48
R3-8ABC		54 x 30
R3-8ABCA		66 x 30
		102 x 48
R3-8ABCD		72 x 30
R3-8ABD		54 x 30
R3-8ABLA		54 x 30
R3-8ABRA		54 x 30

Sign Code	Sign Picture	Sign Size
R3-8AC		36 x 30
R3-8ACA		54 x 30
R3-8ACC		54 x 30
R3-8ACCA		66 x 30
R3-8ACD		48 x 30
R3-8AD		36 x 30
		54 x 48
R3-8AE		30 x 30
R3-8AEBA		66 x 30

R Series

R3-8 LANE-USE CONTROL SIGNS, cont.

Sign Code	Sign Picture	Sign Size
R3-8AEC		48 x 30
R3-8AECA		66 x 30
R3-8AELA		48 x 30
R3-8AERA		48 x 30
R3-8AF		36 x 30
R3-8AG		36 x 30
R3-8AHA		48 x 30
R3-8AJA		54 x 30
R3-8BA		36 x 30 54 x 48
R3-8CA		36 x 30
R3-8CCA		54 x 30
R3-8CCBA		66 x 30
R3-8CD		36 x 30

Sign Code	Sign Picture	Sign Size
R3-8CEA		48 x 30
R3-8DA		36 x 30
R3-8DCA		54 x 30 90 x 48
R3-8EA		30 x 30 60 x 48
R3-8EE		42 x 30
R3-8FA		36 x 30
R3-8GA		36 x 30
R3-8H		30 x 30
R3-8KD		36 x 30
R3-8KG		36 x 30
R3-8LA		36 x 30
R3-8LE		42 x 30
R3-8MA		42 x 30

R Series


Sign Code	Old Sign Code	Sign Picture	Color	Use	Sign Size (inches)
R3-9b		 For ground-mounted use	Black on White	CR-SL, ML	24 x 36
				O	36 x 48
R3-9cP			Black on White	CR-SL, ML	30 x 12
R3-9dP			Black on White	CR-SL, ML	30 x 12
R3-17			Black on White		24 x 18
R3-17aP		 Use with R3-17	Black on White		24 x 8
R3-17bP		 Use with R3-17	Black on White		24 x 8
R3-18			Black and Red on White	CR-SL	24 x 24
				CR-ML, E	36 x 36
				O	48 x 48
R3-27			Black and Red on White	CR-SL	24 x 24
				CR-ML, E	36 x 36
				O	48 x 48
R3-33			Black on White	E, F	78 x 36
R3-33M (R or L) MN Design Right is shown	R16-X7	 LEFT	Black on White		48 x 60
R3-X3 (R or L) MN Design Right is shown			Black on White	RA	36 x 60
R3-X5 MN Design			Black on White	CR-SL, ML	30 x 36
				O	48 x 60
R3-X5a MN Design			Black on White	CR-SL, ML	36 x 36
				O	48 x 48

R Series



Sign Code	Old Sign Code	Sign Picture	Color	Use	Sign Size (inches)
R4-1			Black on White	B-P	12 x 18
				M	18 x 24
				CR-SL, ML	24 x 30
				E, O	36 x 48
				F	48 x 60
R4-2			Black on White	B-P	12 x 18
				M	18 x 24
				CR-SL, ML	24 x 30
				E, O	36 x 48
				F	48 x 60
R4-3			Black on White	B-P	12 x 18
				M	18 x 24
				CR-SL, ML	24 x 30
				E, O	36 x 48
				F	48 x 60
R4-3M MN Design	R4-3a		Black on White	F	84 x 36
R4-4			Black on White		36 x 30
R4-5			Black on White	CR-SL, ML	24 x 30
				E, O	36 x 48
				F	48 x 60
R4-7			Black on White		12 x 18*
				M	18 x 24
				CR-SL, ML	24 x 30
				E, O	36 x 48
				F	48 x 60
* To be used on channelizers					
R4-7c		 Narrow keep right for use in medians less than 4 feet.	Black on White	CR-SL, ML	18 x 30

R Series

Sign Code	Old Sign Code	Sign Picture	Color	Use	Sign Size (inches)
R4-8			Black on White		12 x 18*
				M	18 x 24
				CR-SL, ML	24 x 30
				E, O	36 x 48
				F	48 x 60
* To be used on channelizers					
R4-8c MN Design		 Narrow keep left for use in medians less than 4 feet.	Black on White	CR-SL, ML	18 x 30
R4-11			Black on White		30 x 30
R4-17			Black on White	M	18 x 24
				CR-SL, ML	24 x 30
				E, O	36 x 48
				F	48 x 60
R4-X1 MN Design			Black on White		36 x 48
R4-X4 MN Design			Black on White		36 x 36
R4-X6 MN Design		 	Black on White		78 x 42
R4-X7 MN Design			Black on White		42 x 48
R4-X7P MN Design		  Use with R4-X7	Black on White		42 x 12
R4-X8 MN Design			Black on White		30 x 30

R Series

Sign Code	Old Sign Code	Sign Picture	Color	Use	Sign Size (inches)
R4-X8a MN Design			Black on White		30 x 36
R5-1			Red on White	CR-SL	30 x 30
				CR-ML, E, O	36 x 36
				F	48 x 48
R5-1a			Red on White	M	30 x 18
				CR-SL	36 x 24
				CR-ML, E, F, O	42 x 30
R5-2			Black and Red on White	CR-SL, ML	24 x 24
				E	30 x 30
				F, O	36 x 36
R5-3			Black on White	M, CR-SL, ML	24 x 24
R5-6			Black and Red on White	B-P	18 x 18
				M, CR-SL, ML	24 x 24
				E	30 x 30
				F	36 x 36
R5-10aM MN Design	R5-10d		Black on White	RA	30 x 36
R5-X1 MN Design			Black and Red on White	M, CR-SL, ML	18 x 18
R5-X2 MN Design		 OUT	Black on White		24 x 18
R5-X3 MN Design		CROSSING HUNTING DUMPING FISHING CAMPING	Black on White		24 x 18
R5-X4 MN Design			Black on White		24 x 30

R Series



Sign Code	Old Sign Code	Sign Picture	Color	Use	Sign Size (inches)
R5-X5 Overlay MN Design	E11-X2		White on Red	M	108 x 10
				CR-SL, ML	144 x 14
				E, F	180 x 16
R6-1 (R or L) Right is shown			Black on White	CR-SL	36 x 12
				CR-ML, E, F, O	54 x 18
R6-2 (R or L) Right is shown			Black on White	M	18 x 24
				CR-SL	24 x 30
				CR-ML	30 x 36
				E, O	36 x 48
R6-3			Black on White	CR-SL, ML	30 x 24
				E, O	36 x 30
R6-3a			Black on White	CR-SL, ML	30 x 24
				E, O	36 x 30
R6-4		 Roundabout Directional	Black on White	CR-SL, ML	30 x 24
R6-4a		 Roundabout Directional for speed zones <45 mph and single lane approaches	Black on White	CR-SL, ML	48 x 24
R6-4b		 Roundabout Directional for speed zones ≥45 mph and/or multi-lane approaches	Black on White	CR-SL, ML	60 x 24
R6-5P			Black on White	CR-SL, ML	30 x 30
R6-6			Black on White	CR-SL	24 x 30
				CR-ML	30 x 36

R Series



Sign Code	Old Sign Code	Sign Picture	Color	Use	Sign Size (inches)
R6-7			Black on White	CR-SL	24 x 30
				CR-ML	30 x 36
R7-8M MN Design			White on Blue		12 x 18
R7-8bP		 Use with R7-8M	White on Blue		12 x 6
R7-108		 Permissive Parking Alternate legends available	Green on White		12 x 18
R7-X2 MN Design			Red on White		18 x 24
R8-3 MN Design			Black and Red on White	M	12 x 12
				CR-SL	24 x 24
				CR-ML	30 x 30
				E, O	36 x 36
				F	48 x 48
R8-3dP		 Use with R8-3	Red on White	M	12 x 9
				CR-SL, ML	24 x 18
				O	30 x 24
R8-3PM MN Design	R8-3mP	  Use with R8-3 Alternate legends available	Red on White	M	12 x 9
				CR-SL	18 x 12
				CR-ML	24 x 12
				M	12 x 9
				CR-SL	18 x 12
				CR-ML	24 x 12
R8-7			Black on White	CR-SL, ML	30 x 24
				E, F, O	48 x 36

R Series





Sign Code	Old Sign Code	Sign Picture	Color	Use	Sign Size (inches)
R8-7M MN Design	R16-X4		Black on White	E, F	42 x 48
R8-8			Black on White	CR-SL, ML	24 x 30
				E, O	36 x 48
R9-3			Black and Red on White	CR-L, ML	18 x 18
				E	24 x 24
				F, O	30 x 30
R9-5			Black on White		12 x 18
R9-6			Black on White		12 x 18
R9-7 (R or L) Right is shown			Black on White	B-P	12 x 18
R9-9			Black on White		24 x 12
					30 x 18
R9-9 Overlay MN Design			Black on White		20 x 5
					27 x 6
R9-10M (R or L) MN Design Left is shown	R9-10		Black on White		24 x 12
					48 x 24
R9-10M Overlay MN Design			Black on White		20 x 3
					40 x 6
R9-11 (R or L) Left is shown			Black on White		24 x 12
					48 x 36

R Series





Sign Code	Old Sign Code	Sign Picture	Color	Use	Sign Size (inches)
R9-X1 MN Design			Black on White		12 x 18
R10-3			Black on White	CR-SL, ML	9 x 12
R10-3b			Black and Orange on White	CR-SL, ML	9 x 12
		Alternate legends available			
R10-3d			Black and Orange on White	CR-SL, ML	9 x 12
		Alternate legends available			
R10-3e			Black and Orange on White	CR-SL, ML	9 x 15
		Alternate legends available			
R10-6 (R or L) Left is shown			Black on White	CR-SL, ML	24 x 36
				O	36 x 48
R10-7 MN Design			Black on White	CR-SL, ML	30 x 30
R10-7M MN Design	R10-7a		Black on White	CR-SL, ML	30 x 30
R10-10 (R or L) Right is shown			Black on White	CR-SL, ML	30 x 36

R Series

Sign Code	Old Sign Code	Sign Picture	Color	Use	Sign Size (inches)
R10-11b			Black on White	CR-SL, ML	36 x 36
R10-11c			Black on White	CR-SL, ML	30 x 42
R10-12			Black and Green on White	CR-SL, ML	30 x 36
				E	36 x 48
R10-15M (R or L) MN Design Left is shown	R10-15a		Black on Fluorescent Yellow, Black and Red on White	CR-SL, ML, E	30 x 30
R10-16			Black on White	CR-SL, ML	30 x 36
R10-23aM MN Design		 Installed with Pedestrian Hybrid Beacon (HAWK)	Black on Fluorescent Yellow, Black and Red on White	CR-SL, ML	54 x 42
R10-X6a MN Design		 Ramp Metering Use Only	Black on White	RA	24 x 18
R10-X7 MN Design			Black on White	RA	24 x 30
				O	36 x 48
R10-X12 MN Design			Black on White	CR-SL, ML	36 x 42
				E	42 x 48
R10-X13 MN Design			Black on White	CR-SL, ML	36 x 42
				E	42 x 48

R Series



Sign Code	Old Sign Code	Sign Picture	Color	Use	Sign Size (inches)
R11-2M MN Design	R11-2, R11-2a	RAMP LANE BIKE LANE BRIDGE STREET  OUT	Black on White		48 x 30
					*36 x 24 Optional
R11-3a			Black on White		60 x 30
R11-3b	R11-3c	CLOSED 	Black on White	CR-SL, ML	60 x 30
R11-4			Black on White	CR-SL, ML	60 x 30
R11-X1 MN Design			Black on White	CR-SL, ML	72 x 24
				E, F	96 x 36
R12-1			Black on White	CR-SL, ML	24 x 30
				E	36 x 48
R12-2			Black on White	CR-SL, ML	24 x 30
				E, O	36 x 48
R12-5			Black on White	CR-SL, ML	24 x 36
				E	36 x 48
				F	48 x 60
R12-5M MN Design	R12-5a		Black on White	CR-SL, ML	24 x 24
				E	36 x 30
R12-X1P MN Design	R12-5		Black on Yellow	CR-SL, ML	24 x 9
				E	36 x 12
				F	48 x 12
R12-X1Pa MN Design	R12-5		Black on Yellow	CR-SL, ML	24 x 9
				E	36 x 12
				F	48 x 12
R12-X2 MN Design			Black on White	CR-SL, ML	60 x 36

R Series



Sign Code	Old Sign Code	Sign Picture	Color	Use	Sign Size (inches)
R12-X2a MN Design			Black on White	CR-SL, ML	78 x 36
R12-X3 MN Design			Black on White	CR-SL, ML	36 x 24
R12-X3a MN Design			Black on White	CR-SL, ML	42 x 24
R12-X4 MN Design			Black on White	CR-SL, ML	60 x 42
R12-X4a MN Design			Black on White	CR-SL, ML	60 x 36
R12-X5 MN Design			Black on White	CR-SL, ML	90 x 36
R12-X11 MN Design			Black on White		36 x 36
R13-X1 MN Design			Black on White	CR-SL, ML	114 x 60
				E	156 x 78
				F	192 x 96
R14-1			Black on White	CR-SL, ML	24 x 18
R15-3P		 Use with railroad crossbuck	Black on White	CR-SL, ML	24 x 12
R15-7			Black on White	CR-SL, ML	24 x 24
R15-7a			Black on White	CR-SL, ML	24 x 24
R16-1 MN Design	R16-X12		Black on White	CR-SL, ML	18 x 24
				O	30 x 42
R16-1M MN Design	R16-X11		Black on White	CR-SL, ML, E, F	72 x 36

R Series



Sign Code	Old Sign Code	Sign Picture	Color	Use	Sign Size (inches)
R16-X2 MN Design			Black on White	CR-SL, ML, E, F	78 x 48
R16-X3 MN Design			Black on White	CR-SL, ML, E, F	48 x 30
R16-X3P MN Design		 For use with R16-X41	Black on White		30 X 12
R16-X5P MN Design	R4-X5		Black on White	CR-SL, ML	30 x 24
				E, F	48 x 36
R16-X10 MN Design			Black on White	CR-SL, ML	18 x 24
				O	24 x 30
R16-X13 MN Design			Black on White	CR-SL, ML	36 x 42
R16-X15 MN Design			Black on White	CR-SL, ML, E, F	132 x 78
R16-X16 MN Design			Black on White	CR-SL, ML	30 x 54
				E, F, O	48 x 78
R16-X17 MN Design			Black on White	CR-SL, ML, E, F	108 x 54
R16-X40 MN Design			White on Black and Black on White		36 x 30
R16-X41 MN Design		 For use on-site	Black on White		30 x 24

W Series

Sign Code	Old Sign Code	Sign Picture	Color	Use	Sign Size (inches)
W1-1 (R or L) Right is shown			Black on Yellow	B-P	18 x 18
				B/Rt	24 x 24
				CR-SL	30 x 30
				CR-ML, E, F	36 x 36
				O	48 x 48
W1-1a (R or L) Right is shown			Black on Yellow	CR-SL, ML	36 x 36
				E, F, O	48 x 48
W1-2 (R or L) Right is shown			Black on Yellow	B-P	18 x 18
				B/Rt	24 x 24
				CR-SL	30 x 30
				CR-ML, E, F	36 x 36
				O	48 x 48
W1-2a (R or L) Right is shown			Black on Yellow	CR-SL, ML	36 x 36
				E, F, O	48 x 48
W1-3 (R or L) Right is shown			Black on Yellow	B-P	18 x 18
				B/Rt	24 x 24
				CR-SL	30 x 30
				CR-ML, E, F	36 x 36
				O	48 x 48
W1-4 (R or L) Right is shown			Black on Yellow	B-P	18 x 18
				B/Rt	24 x 24
				CR-SL	30 x 30
				CR-ML, E, F	36 x 36
				O	48 x 48
W1-4b (R or L) Right is shown			Black on Orange	M	30 x 30
				CR-SL, ML	36 x 36
				E, F	48 x 48
W1-4c (R or L) Right is shown			Black on Orange	M	30 x 30
				CR-SL, ML	36 x 36
				E, F	48 x 48
W1-5 (R or L) Right is shown			Black on Yellow	B-P	18 x 18
				B/Rt	24 x 24
				CR-SL	30 x 30
				CR-ML, E, F	36 x 36
				O	48 x 48
W1-6			Black on Yellow	B-P	24 x 12
				B/Rt	36 x 18
				CR-SL, ML	48 x 24
				E, F	60 x 30
				O	72 x 36




For diamond signs in Temporary Traffic Control Zones use 36" x 36" signs for roads with posted speed limits of 40 MPH or less, use 48" x 48" signs for roads with posted speed limits of 45 MPH or greater.

W Series

Sign Code	Old Sign Code	Sign Picture	Color	Use	Sign Size (inches)
W1-7			Black on Yellow	B-P	24 x 12
				B/Rt	36 x 18
				CR-SL, ML	48 x 24
				O	60 x 30
					72 x 36
W1-8			Black on Yellow	CR-SL, ML	18 x 24
				O	24 x 30
				E	30 x 36
				F	36 x 48
W1-10 (R or L) Right is shown			Black on Yellow	CR-SL, ML, E	36 x 36
				F	48 x 48
W1-10a (R or L) Right is shown			Black on Yellow	CR-SL, ML, E	36 x 36
				F	48 x 48
W1-10b (R or L) Right is shown			Black on Yellow	CR-SL, ML, E	36 x 36
				F	48 x 48
W1-10c (R or L) Right is shown			Black on Yellow	CR-SL, ML, E	36 x 36
				F	48 x 48
W1-10d (R or L) Right is shown			Black on Yellow	CR-SL, ML, E	36 x 36
				F	48 x 48
W1-10e (R or L) Right is shown			Black on Yellow	CR-SL, ML, E	36 x 36
				F	48 x 48
W1-11 (R or L) Right is shown			Black on Yellow	CR-SL	30 x 30
				CR-ML, E	36 x 36
				F, O	48 x 48
W1-13 (R or L) Right is shown			Black on Yellow	CR-SL, ML, E, O	36 x 36
				F	48 x 48

For diamond signs in Temporary Traffic Control Zones use 36" x 36" signs for roads with posted speed limits of 40 MPH or less, use 48" x 48" signs for roads with posted speed limits of 45 MPH or greater.



W Series

Sign Code	Old Sign Code	Sign Picture	Color	Use	Sign Size (inches)
W1-15 (R or L) Right is shown			Black on Yellow	CR-SL	30 x 30
				CR-ML, E	36 x 36
				F, O	48 x 48
W2-1			Black on Yellow	B-P	18 x 18
				B/Rt, M	24 x 24
				CR-SL	30 x 30
				CR-ML, E	36 x 36
				O	48 x 48
W2-2 (R or L) Right is shown			Black on Yellow	B-P	18 x 18
				B/Rt, M	24 x 24
				CR-SL, ML*	30 x 30
				E	36 x 36
				O	48 x 48
W2-3 (R or L) Right is shown			Black on Yellow	B-P	18 x 18
				B/Rt, M	24 x 24
				CR-SL, ML*	30 x 30
				E	36 x 36
				O	48 x 48
W2-4			Black on Yellow	B-P	18 x 18
				B/Rt, M	24 x 24
				CR-SL, ML*	30 x 30
				E	36 x 36
				O	48 x 48
W2-5			Black on Yellow	B-P	18 x 18
				B/Rt, M	24 x 24
				CR-SL, ML*	30 x 30
				E	36 x 36
				O	48 x 48
W2-6	W2-6a		Black on Yellow	M	24 x 24
				CR-SL, ML*	30 x 30
				E	36 x 36
				O	48 x 48
W2-7 (R or L) MN Design Right is shown			Black on Yellow	M	24 x 24
				CR-SL, ML*	30 x 30
				E	36 x 36
				O	48 x 48
W2-8 (R or L) MN Design Right is shown			Black on Yellow	M	24 x 24
				CR-SL, ML*	30 x 30
				E	36 x 36
				O	48 x 48
W2-X12 MN Design			Black on Yellow	CR-SL, ML*	30 x 30
				E	36 x 36
				O	48 x 48

*All diamond shaped warning signs installed on multi-lane conventional roads with speeds greater than 35 mph shall be at least 36" x 36".

For diamond signs in Temporary Traffic Control Zones use 36" x 36" signs for roads with posted speed limits of 40 MPH or less, use 48" x 48" signs for roads with posted speed limits of 45 MPH or greater.

W Series

Sign Code	Old Sign Code	Sign Picture	Color	Use	Sign Size (inches)
W3-1			Black and Red on Yellow	B-P	18 x 18
				B/Rt, M, CR-SL	30 x 30
				CR-ML	36 x 36
				E, F	48 x 48
W3-2			Black, Red and White on Yellow	B-P	18 x 18
				B/Rt, M, CR-SL	30 x 30
				CR-ML	36 x 36
				E, F	48 x 48
W3-3			Black, Red and Green on Yellow	B-P	18 x 18
				B/Rt, M, CR-SL	30 x 30
				CR-ML	36 x 36
				E, F	48 x 48
W3-4			Black on Orange	CR-SL, ML	36 x 36
				E, F	48 x 48
W3-5			Black on Yellow	CR-SL, ML	36 x 36
				E, F	48 x 48
W3-7			Black on Yellow	CR-SL, ML	36 x 36
W3-8			Black on Yellow	CR-SL, ML	36 x 36
W3-X4 MN Design			Black on Yellow	CR-SL, ML E	66 x 42
W3-X5 MN Design			Black on Yellow	M	30 x 30
				CR-SL, ML	36 x 36
				E, F	48 x 48
W3-X6 MN Design			Black on Yellow	CR-SL, ML	72 x 24
				E, F	96 x 36

For diamond signs in Temporary Traffic Control Zones use 36" x 36" signs for roads with posted speed limits of 40 MPH or less, use 48" x 48" signs for roads with posted speed limits of 45 MPH or greater.

W Series

Sign Code	Old Sign Code	Sign Picture	Color	Use	Sign Size (inches)
W3-X8 MN Design			Black on Yellow	E	66 x 42
W3-X8a MN Design			Black on Yellow	CR-ML	48 x 48
W16-13P MN Design	W3-X8aP			Use w/48" diamond	42 x 30
W3-X8b MN Design			Black on Yellow	CR-SL	36 x 36
W16-13P	W3-X8aP			Use w/36" diamond	30 x 24
W4-1 (R or L) Right is shown			Black on Yellow	M	30 x 30
				CR-SL, ML	36 x 36
				E, F	48 x 48
W4-2 (R or L) Right is shown			Black on Yellow	M	30 x 30
				CR-SL, ML	36 x 36
				E, F	48 x 48
W4-3 (R or L) Right is shown			Black on Yellow	M	30 x 30
				CR-SL, ML	36 x 36
				E, F	48 x 48
W4-4P			Black on Yellow	Use w/30" R1-1	24 x 12
				Use w/36" R1-1	36 x 18
				Use w/48" R1-1	48 x 24
W4-4aP (R or L) Left is shown		RIGHT 	Black on Yellow	Use w/30" R1-1	24 x 12
				Use w/36" R1-1	36 x 18
				Use w/48" R1-1	48 x 24


For diamond signs in Temporary Traffic Control Zones use 36" x 36" signs for roads with posted speed limits of 40 MPH or less, use 48" x 48" signs for roads with posted speed limits of 45 MPH or greater.

W Series

Sign Code	Old Sign Code	Sign Picture	Color	Use	Sign Size (inches)
W4-4bP			Black on Yellow	Use w/30" R1-1	24 x 12
				Use w/36" R1-1	36 x 18
				Use w/48" R1-1	48 x 24
W4-5			Black on Yellow	CR-SL, ML	36 x 36
				E	48 x 48
W4-5P			Black on Yellow	CR-SL, ML	18 x 24
				E	24 x 30
W4-6			Black on Yellow	CR-SL, ML	36 x 36
				E	48 x 48
W4-X1 (R or L) MN Design Right is shown			Black on Yellow	E, F	48 x 48
				O	60 x 60
W5-1			Black on Yellow	M	30 x 30
				CR-SL, ML	36 x 36
				E, F	48 x 48
W5-2			Black on Yellow	M	30 x 30
				CR-SL, ML	36 x 36
				E, F	48 x 48
W5-4			Black on Yellow	M	30 x 30
				CR-SL, ML	36 x 36
				E, F	48 x 48
W5-4a			Black on Yellow	B-P	18 x 18
W5-X1 MN Design			Black on Yellow	CR-SL, ML	36 x 36
				E, F	48 x 48

For diamond signs in Temporary Traffic Control Zones use 36" x 36" signs for roads with posted speed limits of 40 MPH or less, use 48" x 48" signs for roads with posted speed limits of 45 MPH or greater.

W Series

Sign Code	Old Sign Code	Sign Picture	Color	Use	Sign Size (inches)
W6-1			Black on Yellow	CR-SL, ML	36 x 36
				E, F	48 x 48
W6-2			Black on Yellow	CR-SL, ML	36 x 36
				E, F	48 x 48
W6-3			Black on Yellow	CR-SL, ML	36 x 36
				E, F	48 x 48
W6-4			Black on Orange		12 x 18
W6-X2 MN Design			Black on Yellow	CR-SL, ML	36 x 36
				E, F	48 x 48
W7-1			Black on Yellow	M	24 x 24
				CR-SL	30 x 30
				CR-ML, E, F	36 x 36
				O	48 x 48
W7-1a MN Design			Black on Yellow	M	24 x 24
				CR-SL	30 x 30
				CR-ML, E, F	36 x 36
				O	48 x 48
W7-2bP			Black on Yellow	CR-SL, ML	24 x 18
W7-3P			Black on Yellow	CR-SL, ML	24 x 18
W7-3aP MN Design			Black on background color matching warning sign	Use w/30" diamond	24 x 18
				Use w/36" diamond	30 x 24
				Use w/48" diamond	36 x 24
			May use 24 x 18 on a 48 x 48 diamond sign when mounted on a portable stand.		

For diamond signs in Temporary Traffic Control Zones use 36" x 36" signs for roads with posted speed limits of 40 MPH or less, use 48" x 48" signs for roads with posted speed limits of 45 MPH or greater.

W Series

Sign Code	Old Sign Code	Sign Picture	Color	Use	Sign Size (inches)
W7-3bP			Black on Yellow	CR-SL, ML	24 x 18
W7-5 MN Design			Black on Yellow	B-P	18 x 18
				B/Rt	30 x 30
W8-1			Black on Yellow	B-P	18 x 18
				B/Rt, M	24 x 24
				CR-SL	30 x 30
				CR-ML, E	36 x 36
				F, O	48 x 48
W8-1M MN Design	W8-1a		Black on Yellow	M	24 x 24
				CR-SL	30 x 30
				CR-ML, E	36 x 36
				F, O	48 x 48
W8-2			Black on Yellow	B-P	18 x 18
				B/Rt, M	24 x 24
				CR-SL	30 x 30
				CR-ML, E	36 x 36
				F, O	48 x 48
W8-3			Black on Yellow	B-P	18 x 18
				B/Rt, M	30 x 30
				CR-SL, ML	36 x 36
				E	48 x 48
W8-4			Black on Yellow	M	24 x 24
				CR-SL, ML	36 x 36
				E, F, O	48 x 48
W8-5			Black on Yellow	M	24 x 24
				CR-SL	30 x 30
				CR-ML, E	36 x 36
				F, O	48 x 48
W8-5P			Black on Yellow	CR-SL, ML	24 x 18
				E	30 x 24
				F, O	36 x 30
W8-5bP			Black on Yellow	CR-SL, ML	24 x 18
				E	30 x 24
				F, O	36 x 30

For diamond signs in Temporary Traffic Control Zones use 36" x 36" signs for roads with posted speed limits of 40 MPH or less, use 48" x 48" signs for roads with posted speed limits of 45 MPH or greater.

W Series

Sign Code	Old Sign Code	Sign Picture	Color	Use	Sign Size (inches)
W8-7			Black on Yellow	M	24 x 24
				CR-SL, ML, E	36 x 36
				O	48 x 48
W8-8			Black on Yellow	M	24 x 24
				CR-SL, ML, E	36 x 36
				O	48 x 48
W8-9			Black on Yellow	M	24 x 24
				CR-SL, ML, E	36 x 36
				O	48 x 48
W8-9a			Black on Orange	M	30 x 30
				CR-SL, ML	36 x 36
				E, F	48 x 48
W8-9M MN Design	W21-X9		Black on Orange	CR-SL, ML	36 x 36
				E, F	48 x 48
W8-10			Black on Yellow	B-P	18 x 18
				B/Rt	30 x 30
W8-10P			Black on Yellow	B-P, B/Rt	12 x 9
W8-11			Black on Yellow	M	30 x 30
				CR-SL, ML, E	36 x 36
				F, O	48 x 48
W8-12			Black on Yellow	M	30 x 30
				CR-SL, ML	36 x 36
				E, F	48 x 48
W8-13			Black on Yellow	M	24 x 24
				CR-SL, ML, E	36 x 36
				F, O	48 x 48

For diamond signs in Temporary Traffic Control Zones use 36" x 36" signs for roads with posted speed limits of 40 MPH or less, use 48" x 48" signs for roads with posted speed limits of 45 MPH or greater.

W Series

Sign Code	Old Sign Code	Sign Picture	Color	Use	Sign Size (inches)
W8-14			Black on Yellow	CR-SL, ML*	30 x 30
				E, F	36 x 36
W8-15			Black on Yellow	M	24 x 24
				CR-SL	30 x 30
				CR-ML, E	36 x 36
				F, O	48 x 48
W8-15P			Black on Yellow	CR-SL, ML	24 x 18
				E	30 x 24
				F, O	36 x 30
				May use 24" x 18" on a 48" x 48" diamond sign when mounted on a portable sign stand.	
W8-16			Black on Yellow	M	24 x 24
				CR-SL	30 x 30
				CR-ML, E	36 x 36
				F, O	48 x 48
W8-17 (R or L) Right is shown			Black on Yellow	M	24 x 24
				CR-SL, ML*	30 x 30
				E	36 x 36
				F, O	48 x 48
W8-17P			Black on Yellow	CR-SL, ML	24 x 18
				E	30 x 24
				F, O	36 x 30
W8-18			Black on Yellow	M	24 x 24
				CR-SL, ML, E	36 x 36
				F, O	48 x 48
W8-19			Black on Yellow	CR-SL, ML	12 x 72
W8-21			Black on Yellow	M	24 x 24
				CR-SL, ML, E	36 x 36
				F, O	48 x 48
W8-22			Black on Yellow	M	24 x 24
				CR-SL, ML, E	36 x 36
				F, O	48 x 48

*All diamond shaped warning signs installed on multi-lane conventional roads with speeds greater than 35 mph shall be at least 36" x 36".

For diamond signs in Temporary Traffic Control Zones use 36" x 36" signs for roads with posted speed limits of 40 MPH or less, use 48" x 48" signs for roads with posted speed limits of 45 MPH or greater.

W Series



Sign Code	Old Sign Code	Sign Picture	Color	Use	Sign Size (inches)
W8-23			Black on Yellow	M	24 x 24
				CR-SL, ML, E	36 x 36
				F, O	48 x 48
W8-24			Black on Orange	M	30 x 30
				CR-SL, ML	36 x 36
				E, F	48 x 48
W8-25			Black on Yellow	M	24 x 24
				CR-SL	30 x 30
				CR-ML, E	36 x 36
				F, O	48 x 48
W8-X14 MN Design	W21-X8	 Not for use on MnDOT or federal state aid roads.	Black on Yellow		36 x 30
W9-1 (R or L) Right is shown		 LEFT	Black on Yellow	M	30 x 30
				CR-SL, ML, E	36 x 36
				F, O	48 x 48
W9-2 (R or L) Right is shown		 LEFT	Black on Yellow	M	30 x 30
				CR-SL, ML, E	36 x 36
				F, O	48 x 48
W10-1			Black on Yellow	B-P	24" Diameter
				B/Rt, CR-SL, ML	36" Diameter
				E, O	48" Diameter
W10-1aP MN Design			Black on Yellow	CR-SL, ML	24 x 12
W10-2 (R or L) Right is shown			Black on Yellow	CR-SL, ML	36 x 36
				E, O	48 x 48
W10-3 (R or L) Right is shown			Black on Yellow	CR-SL, ML	36 x 36
				E, O	48 x 48




For diamond signs in Temporary Traffic Control Zones use 36" x 36" signs for roads with posted speed limits of 40 MPH or less, use 48" x 48" signs for roads with posted speed limits of 45 MPH or greater.

W Series

Sign Code	Old Sign Code	Sign Picture	Color	Use	Sign Size (inches)
W10-4 (R or L) Right is shown			Black on Yellow	CR-SL, ML	36 x 36
				E, O	48 x 48
W10-5			Black on Yellow	CR-SL, ML	36 x 36
				E, O	48 x 48
W10-5P			Black on Yellow	CR-SL, ML	30 x 24
W10-9			Black on Yellow	CR-SL, ML	36 x 36
				E, O	48 x 48
W10-9P			Black on Yellow	B-P	18 x 12
				B/Rt, CR-SL, ML	30 x 24
W10-11			Black on Yellow	CR-SL, ML	36 x 36
				E, O	48 x 48
W10-11a			Black on Yellow	CR-SL, ML	30 x 36
W10-11b			Black on Yellow	CR-SL, ML	30 x 36
W10-12 (R or L) Right is shown			Black on Yellow	B-P	18 x 18
				CR-SL, ML	36 x 36
				E, O	48 x 48
W10-X3 MN Design			Black on Yellow	CR-SL, ML	36 x 36
				E, O	48 x 48

For diamond signs in Temporary Traffic Control Zones use 36" x 36" signs for roads with posted speed limits of 40 MPH or less, use 48" x 48" signs for roads with posted speed limits of 45 MPH or greater.

W Series

Sign Code	Old Sign Code	Sign Picture	Color	Use	Sign Size (inches)
W11-1			Black on Fluorescent Yellow-Green	B-P	18 x 18
				M, B/Rt	24 x 24
				CR-SL, ML*	30 x 30
				E	36 x 36
				O	48 x 48
W11-2			Black on Fluorescent Yellow-Green	B-P	18 x 18
				M, B/Rt	24 x 24
				CR-SL	30 x 30
				CR-ML, E	36 x 36
				O	48 x 48
W11-3			Black on Yellow	M	24 x 24
				CR-SL	30 x 30
				CR-ML, E	36 x 36
				O	48 x 48
W11-4			Black on Yellow	M	24 x 24
				CR-SL	30 x 30
				CR-ML, E	36 x 36
				O	48 x 48
W11-5			Black on Yellow	M	24 x 24
				CR-SL	30 x 30
				CR-ML, E	36 x 36
				O	48 x 48
W11-6			Black on Yellow	M	24 x 24
				CR-SL	30 x 30
				CR-ML, E	36 x 36
				O	48 x 48
W11-7			Black on Yellow	M	24 x 24
				CR-SL	30 x 30
				CR-ML, E	36 x 36
				O	48 x 48
W11-8			Black on Yellow	M	24 x 24
				CR-SL	30 x 30
				CR-ML, E	36 x 36
				O	48 x 48
W11-9			Black on Fluorescent Yellow-Green	CR-SL	30 x 30
				CR-ML, E	36 x 36
				O	48 x 48
W11-10			Black on Yellow	M	24 x 24
				CR-SL	30 x 30
				CR-ML, E	36 x 36
				O	48 x 48

*All diamond shaped warning signs installed on multi-lane conventional roads with speeds greater than 35 mph shall be at least 36" x 36".

For diamond signs in Temporary Traffic Control Zones use 36" x 36" signs for roads with posted speed limits of 40 MPH or less, use 48" x 48" signs for roads with posted speed limits of 45 MPH or greater.

W Series

Sign Code	Old Sign Code	Sign Picture	Color	Use	Sign Size (inches)
W11-14			Black on Yellow	M	24 x 24
				CR-SL	30 x 30
				CR-ML, E	36 x 36
				O	48 x 48
W11-15			Black on Fluorescent Yellow-Green	M	24 x 24
				CR-SL	30 x 30
				CR-ML, E	36 x 36
				O	48 x 48
W11-15a			Black on Fluorescent Yellow-Green	M	24 x 24
				CR-SL	30 x 30
				CR-ML, E	36 x 36
				O	48 x 48
W11-15P			Black on Fluorescent Yellow-Green	B-P	18 x 12
				B/Rt, CR-SL, ML	24 x 18
				E	30 x 24
				O	36 x 30
W11-X3 MN Design			Black on Yellow	CR-SL, ML	36 x 36
				E, O	48 x 48
W12-1			Black on Yellow	CR-SL	30 x 30
				CR-ML, E	36 x 36
W12-2			Black on Yellow	B-P	18 x 18
				B/Rt, M	30 x 30
				CR-SL, ML	36 x 36
				E, F	48 x 48
W12-2a		 Mounted on structure	Black on Yellow	CR-SL, ML	78 x 24
W13-1P			Black on Yellow	Use w/30" diamond	18 x 18
				Use w/36" diamond	24 x 24
				Use w/48" diamond	30 x 30
				May use 24" x 24" on a 48" x 48" diamond sign when mounted on a portable sign stand.	
W13-2			Black on Yellow	CR-SL, ML	24 x 30
				E, F	36 x 48
				O	48 x 60

For diamond signs in Temporary Traffic Control Zones use 36" x 36" signs for roads with posted speed limits of 40 MPH or less, use 48" x 48" signs for roads with posted speed limits of 45 MPH or greater.

W Series

Sign Code	Old Sign Code	Sign Picture	Color	Use	Sign Size (inches)
W13-3			Black on Yellow	CR-SL, ML	24 x 30
				E, F	36 x 48
				O	48 x 60
W13-4P			Black on Orange		36 x 36
W13-6			Black on Yellow	CR-SL, ML	24 x 42
				E, F	36 x 60
				O	48 x 84
W13-7			Black on Yellow	CR-SL, ML	24 x 42
				E, F	36 x 60
				O	48 x 84
W14-1			Black on Yellow	M	24 x 24
				CR-SL	30 x 30
				CR-ML, E	36 x 36
				O	48 x 48
W14-2			Black on Yellow	M	24 x 24
				CR-SL	30 x 30
				CR-ML, E	36 x 36
				O	48 x 48
W14-3			Black on Yellow	CR-SL, ML	64 x 64 x 48
W14-X2 MN Design			Black on Yellow		48 x 48
W14-X9 MN Design			Black on Yellow		30 x 36
W14-X10 MN Design			Black on Yellow		12 x 18
W14-X11 MN Design			Black on Orange	CR-SL	36 x 36
				CR-ML, E, F	48 x 48

For diamond signs in Temporary Traffic Control Zones use 36" x 36" signs for roads with posted speed limits of 40 MPH or less, use 48" x 48" signs for roads with posted speed limits of 45 MPH or greater.

W Series

Sign Code	Old Sign Code	Sign Picture	Color	Use	Sign Size (inches)
W14-X12 MN Design			Black on Orange		48 x 48
W14-X13 MN Design			Black on Orange		48 x 48
W14-X15 MN Design			Black on Pink	CR-SL, ML	36 x 36
				E, F	48 x 48
W14-X16 MN Design			Black on Orange		48 x 48
W15-1			Black on Fluorescent Yellow-Green	B-P	18 x 18
				B/Rt, M	24 x 24
				CR-SL	30 x 30
				CR-ML, E	36 x 36
				O	48 x 48
W16-1P			Black on Fluorescent Yellow-green	B/Rt, CR-SL, ML	18 x 24
				E, O	24 x 30
W16-2P MN Design	W20-100P		Black on background color matching warning sign	Use w/30" panel	24 x 18
				Use w/36" panel	30 x 24
				Use w/48" panel	36 x 24
				Use w/60" panel	42 x 30
				May use 24 x 18 on a 48 x 48 diamond sign when mounted on a portable sign stand.	
W16-3P MN Design	W20-100P		Black on background color matching warning sign	Use w/30" panel	30 x 24
				Use w/36" panel	30 x 24
				Use w/48" panel	36 x 24
				Use w/60" panel	42 x 30
				May use 30 x 24 on a 48 x 48 diamond sign when mounted on a portable sign stand.	
W16-4P MN Design			Black on background color matching warning sign	Use w/30" panel	30 x 24
				Use w/36" panel	30 x 24
				Use w/48" panel	36 x 24
				Use w/60" panel	42 x 30
				May use 30 x 24 on a 48 x 48 diamond sign when mounted on a portable sign stand.	

For diamond signs in Temporary Traffic Control Zones use 36" x 36" signs for roads with posted speed limits of 40 MPH or less, use 48" x 48" signs for roads with posted speed limits of 45 MPH or greater.

W Series



Sign Code	Old Sign Code	Sign Picture	Color	Use	Sign Size (inches)
W16-5P (R or L) Right is shown	W16-5mP		Black on background color matching warning sign	CR-SL, ML	24 x 18
W16-6P (R or L) Right is shown	W16-6mP		Black on background color matching warning sign	CR-SL, ML	24 x 18
W16-7P (R or L) MN Design Right is shown	W16-7mP		Black on background color matching warning sign	Use w/30" panel	24 x 12
				Use w/36" panel	30 x 18
				Use w/48" panel	36 x 24
				See W21-X3P when using a diamond sign mounted on a portable stand.	
W16-8P MN Design			Black on background color matching warning sign	CR-SL, ML	Varies x 8
				Use with W2 and W3 Series, W10-2, W10-3, and W10-4 signs	
W16-8aP MN Design			Black on background color matching warning sign	CR-SL, ML	Varies x 15
				Use with W2 and W3 Series, W10-2, W10-3, and W10-4 signs	
W16-9P			Black on background color matching warning sign	CR-SL, ML	24 x 12
				E	30 x 18
W16-13P MN Design			Black on background color matching warning sign	Use w/30" panel	24 x 18
				Use w/36" panel	30 x 24
				Use w/48" panel	42 x 30
W16-15P MN Design			Black on background color matching warning sign	CR-SL, ML	24 x 12
W16-17P MN Design			Black on Yellow	CR-SL, ML	36 x 12
W16-17M Overlay MN Design			Black on Yellow	CR-SL, ML	90 x 14
W19-1			Black on Yellow	F	144 x 48
W19-2			Black on Yellow	E	144 x 48
W19-5			Black on Yellow	E, F	90 x 48

For diamond signs in Temporary Traffic Control Zones use 36" x 36" signs for roads with posted speed limits of 40 MPH or less, use 48" x 48" signs for roads with posted speed limits of 45 MPH or greater.

W Series

Sign Code	Old Sign Code	Sign Picture	Color	Use	Sign Size (inches)
W20-1		 STREET 1000 FT 1/2 MILE	Black on Orange	M	30 x 30
				CR-SL, ML	36 x 36
				E, F	48 x 48
W20-1M MN Design	W20-X9	 TRAIL SIGNAL	Black on Orange	TRAIL	18 x 18
				CR-SL, ML	36 x 36
				E, F	48 x 48
W20-2		 1000 FT 1/2 MILE	Black on Orange	M	30 x 30
				CR-SL, ML	36 x 36
				E, F	48 x 48
W20-3		 STREET 1000 FT 1/2 MILE	Black on Orange	M	30 x 30
				CR-SL, ML	36 x 36
				E, F	48 x 48
W20-3M MN Design	W20-3a	 BRIDGE TRAIL 1000 FT 1/2 MILE	Black on Orange	B-P	18 x 18
				CR-SL, ML	36 x 36
				E, F	48 x 48
W20-4		 1000 FT 1/2 MILE	Black on Orange	M	30 x 30
				CR-SL, ML	36 x 36
				E, F	48 x 48
W20-5		 LEFT CENTER 1000 FT 1/2 MILE	Black on Orange	M	30 x 30
				CR-SL, ML	36 x 36
				E, F	48 x 48
W20-7			Black on Orange	M	30 x 30
				CR-SL, ML	36 x 36
				E, F	48 x 48
				O	60 x 60
W20-8M MN Design	W21-X7	 Flagger Paddle	STOP: White on Red SLOW: Black on Orange		18 x 18
					36 x 36*
					* Automated flagging device size
W20-X1 MN Design	W20-1a		Black on Orange		30 x 24

For diamond signs in Temporary Traffic Control Zones use 36" x 36" signs for roads with posted speed limits of 40 MPH or less, use 48" x 48" signs for roads with posted speed limits of 45 MPH or greater.

W Series

Sign Code	Old Sign Code	Sign Picture	Color	Use	Sign Size (inches)
W20-X1 Overlay MN Design			Black on Orange		24 x 6
					
W20-X3 (R or L) MN Design Right is shown			Black on Yellow	M	30 x 30
				CR-SL, ML	36 x 36
				E, F	48 x 48
W20-X5 MN Design	W21-X5		Black on Orange	CR-SL, ML	36 x 36
				E, F	48 x 48
W20-X6 MN Design			Black on Orange	M	30 x 30
				CR-SL, ML	36 x 36
				E, F	48 x 48
W20-X11 MN Design			Black on Orange	M	30 x 30
				CR-SL, ML	36 x 36
				E, F	48 x 48
W20-X12 MN Design			Black on Orange	CR-SL, ML	36 x 36
				E, F	48 x 48
W20-X13 (R or L) MN Design Right is shown			Black on Orange	M	30 x 30
				CR-SL, ML	36 x 36
				E, F	48 x 48
W20-X17 MN Design			Black on Orange	M	30 x 30
				CR-SL, ML	36 x 36
				E, F	48 x 48
W20-X19 MN Design			Black on Orange	E, F	48 x 48
W20-X20 MN Design			Black on Orange	CR-SL, ML	36 x 36
				E, F	48 x 48
W20-X21 MN Design			Black on Orange	CR-SL, ML	36 x 36
				E, F	48 x 48

For diamond signs in Temporary Traffic Control Zones use 36" x 36" signs for roads with posted speed limits of 40 MPH or less, use 48" x 48" signs for roads with posted speed limits of 45 MPH or greater.

W Series

Sign Code	Old Sign Code	Sign Picture	Color	Use	Sign Size (inches)
W21-1a			Black on Orange	M	30 x 30
				CR-SL, ML	36 x 36
				E, F	48 x 48
W21-2			Black on Orange	M	30 x 30
				CR-SL, ML	36 x 36
				E, F	48 x 48
W21-5			Black on Orange	M	30 x 30
				CR-SL, ML	36 x 36
				E, F	48 x 48
W21-5a (R or L) Right is shown			Black on Orange	M	30 x 30
				CR-SL, ML	36 x 36
				E, F	48 x 48
W21-5b (R or L) Right is shown			Black on Orange	M	30 x 30
				CR-SL, ML	36 x 36
				E, F	48 x 48
W21-6M MN Design	W21-6a		Black on Orange	M	30 x 30
				CR-SL, ML	36 x 36
				E, F	48 x 48
W21-7			Black on Orange	M	30 x 30
				CR-SL, ML	36 x 36
				E, F	48 x 48
W21-X3P MN Design	W21-X3		Black on Orange	Use with channelizers	18 x 18
					24 x 24
					30 x 30
				May use 18" x 18" on a 48" x 48" diamond sign when mounted on a portable sign stand.	
W21-X4M MN Design	W21-X4a		Black on Orange	CR-SL, ML	66 x 24
				E, F	90 x 36
				To be mounted on vehicles only.	
W21-X6 MN Design			Black on Orange	M	30 x 30
				CR-SL, ML	36 x 36
				E, F	48 x 48

For diamond signs in Temporary Traffic Control Zones use 36" x 36" signs for roads with posted speed limits of 40 MPH or less, use 48" x 48" signs for roads with posted speed limits of 45 MPH or greater.

W Series



Sign Code	Old Sign Code	Sign Picture	Color	Use	Sign Size (inches)
W21-X10 MN Design			Black on Orange	Striper Train Sign	60 x 36
					66 x 42
W21-X11 MN Design			Black on Orange	Striper Train Sign Arrow is demountable	54 x 22
W21-X12 MN Design			Black on Orange	Striper Train Sign	72 x 18
W21-X13 MN Design			Black on Orange	Striper Train Sign	72 x 36
					90 x 42
W22-1			Black on Orange	M	30 x 30
				CR-SL, ML	36 x 36
				E, F	48 x 48
W22-2			Black on Orange	CR-SL, ML, E, F	42 x 36
W22-3			Black on Orange	M	36 x 30
				CR-SL, ML, E, F	42 x 36
W23-2 MN Design			Black on Yellow or Orange	M	30 x 30
				CR-SL, ML	36 x 36
				E, F	48 x 48
W24-1 (R or L) Right is shown			Black on Orange	M	30 x 30
				CR-SL, ML	36 x 36
				E, F	48 x 48
W24-1a (R or L) Right is shown			Black on Orange	M	30 x 30
				CR-SL, ML	36 x 36
				E, F	48 x 48
W24-1b (R or L) Right is shown			Black on Orange	M	30 x 30
				CR-SL, ML	36 x 36
				E, F	48 x 48

For diamond signs in Temporary Traffic Control Zones use 36" x 36" signs for roads with posted speed limits of 40 MPH or less, use 48" x 48" signs for roads with posted speed limits of 45 MPH or greater.

M Series

Sign Code	Old Sign Code	Sign Picture	Color	Use	Sign Size (inches)		
M1-1			White on Red and Blue	CR-SL, ML	24 x 24		
				E, F	30 x 24*		
					36 x 36		
					45 x 36*		
* 3 Digit Sign							
M1-2		 Business Loop	White on Green	CR-SL, ML	24 x 24		
				E, F	30 x 24*		
					36 x 36		
					45 x 36*		
* 3 Digit Sign							
M1-3		 Business Spur	White on Green	CR-SL, ML	24 x 24		
				E, F	30 x 24*		
					36 x 36		
					45 x 36*		
* 3 Digit Sign							
M1-4	Combined with M1-4a	 For Independent Use	Black on White	CR-SL, ML	24 x 24		
		E, F		30 x 24*			
				36 x 36			
				45 x 36*			
		* 3 Digit Sign					
		 For Guide Sign Use	Black on White	CR-SL, ML	24 x 24		
		E, F		30 x 24*			
				36 x 36			
45 x 36*							
* 3 Digit Sign							
M1-4M MN Design	Combined M1-4b and M1-4ab	 For Independent Use	Green on White	CR-SL, ML	24 x 24		
		E, F		30 x 24*			
				36 x 36			
				45 x 36*			
		* 3 Digit Sign					
		 For Guide Sign Use	White on Green	CR-SL, ML	24 x 24		
		E, F		30 x 24*			
				36 x 36			
45 x 36*							
* 3 Digit Sign							
M1-5M MN Design	Combined M1-5a and M1-5b		White and Gold on Blue	CR-SL, ML	24 x 24		
				E, F	30 x 24*		
					36 x 36		
					45 x 36*		
* 3 Digit Sign							
M1-5Ma MN Design	Combined M1-5ab and M1-5bb		White on Green	CR-SL, ML	24 x 24		
				E, F	30 x 24*		
					36 x 36		
					45 x 36*		
* 3 Digit Sign							
M1-6M MN Design	Combined M1-6 and M1-6a		White and Yellow on Blue	M	18 x 18		
				CR-SL, ML	24 x 24		
				E, F	36 x 36		



M Series

Sign Code	Old Sign Code	Sign Picture	Color	Use	Sign Size (inches)
M1-7			White on Brown	M	18 x 18
				CR-SL, ML	24 x 24
				E, F	36 x 36
M1-9M MN Design	M1-9x		White and Blue on Green	B-P, B/RT	12 x 18
				CR-SL, ML, E	18 x 24
M1-10			White on Blue	F	36 x 36
M1-X4 MN Design	Combined with M1-X4a	 For Independent Use	Black on White	M	18 x 18
				CR-SL, ML	24 x 24
				E, F	36 x 36
		 For Guide Sign Use	Black on White	M	18 x 18
				CR-SL, ML	24 x 24
				E, F	36 x 36
M1-X5 MN Design	M1-X3		Black on White,	M	18 x 18
				CR-SL, ML	24 x 24
				E, F	36 x 36
M2-1 MN Design	Combined with M2-1a		Black on White, White on Blue, White on Green, or White on Brown	CR-SL, ML	21 x 15
				E, F, O	30 x 21
M3-1	Combined with M3-1a		Black on White, White on Blue, White on Green, or White on Brown	CR-SL, ML	24 x 12
				E, F, O	36 x 18
M3-2	Combined with M3-2a		Black on White, White on Blue, White on Green, or White on Brown	CR-SL, ML	24 x 12
				E, F, O	36 x 18
M3-3	Combined with M3-3a		Black on White, White on Blue, White on Green, or White on Brown	CR-SL, ML	24 x 12
				E, F, O	36 x 18
M3-4	Combined with M3-4a		Black on White, White on Blue, White on Green, or White on Brown	CR-SL, ML	24 x 12
				E, F, O	36 x 18

M Series




Sign Code	Old Sign Code	Sign Picture	Color	Use	Sign Size (inches)
M4-1a MN Design			Black on White, White on Blue, White on Green, or White on Brown	CR-SL, ML	24 x 12
				E, F, O	36 x 18
M4-3 MN Design			Black on White, White on Blue, White on Green, or White on Brown	CR-SL, ML	24 x 12
				E, F, O	36 x 18
M4-4 MN Design			Black on White	CR-SL, ML	24 x 12
				E, F, O	36 x 18
M4-5 MN Design	Combined with M4-5a		Black on White, White on Blue, White on Green, or White on Brown	CR-SL, ML	24 x 12
				E, F, O	36 x 18
M4-6 MN Design	Combined with M4-6a		Black on White, White on Blue, White on Green, or White on Brown	CR-SL, ML	24 x 12
				E, F, O	36 x 18
M4-7 MN Design			Black on White, White on Blue, White on Green, or White on Brown	CR-SL, ML	24 x 12
				E, F, O	36 x 18
M4-8			Black on Orange	CR-SL, ML	24 x 12
				E, F, O	36 x 18
M4-8a			Black on Orange	CR-SL, ML	24 x 18
				E, F, O	36 X 24
M4-9M (R, L, ATR, ATL, R45, L45, R90, L90) MN Design Right is shown	M4-9m		Black on Orange	CR-SL, ML	30 x 24
				E, F, O	42 x 36
M4-9aM (R, L, or T) MN Design Right is shown	M4-9ma		Black on Orange	B-P	18 x 12
				CR-SL, ML	30 x 24
M4-9bM (R, L or T) MN Design Right is shown	M4-9mb		Black on Orange	B-P	18 x 12
				CR-SL, ML	30 x 24
M4-9cM (R, L or T) MN Design Right is shown	M4-9mc		Black on Orange	B-P	18 x 12
				CR-SL, ML	30 x 24

M Series

Sign Code	Old Sign Code	Sign Picture	Color	Use	Sign Size (inches)
M4-10 (R or L) Right is shown			Black on Orange	CR-SL, ML	48 x 18
M4-14	Combined with M4-14a		Black on White, White on Blue, White on Green, or White on Brown	CR-SL, ML	24 x 12
				E, F, O	36 x 18
M4-X1 MN Design	Combined with M4-X1a		Black on White, White on Blue, White on Green, or White on Brown	CR-SL, ML	24 x 12
				E, F, O	36 x 18
M4-X2 MN Design			Black on Yellow	CR-SL, ML	24 x 12
				E, F, O	36 x 18
M5-1 (R or L) Right is shown	Combined with M5-1a		Black on White, White on Blue, White on Green, or White on Brown	B-P, B/RT	12 x 9
				CR-SL, ML	21 x 15
				E, F	30 x 21
M5-2 (R or L) Right is shown	Combined with M5-2a		Black on White, White on Blue, White on Green, or White on Brown	B-P, B/RT	12 x 9
				CR-SL, ML	21 x 15
				E, F	30 x 21
M5-3	Combined with M5-3a		Black on White, White on Blue, White on Green, or White on Brown	CR-SL, ML	21 x 15
				E, F	30 x 21
M5-4	Combined with M5-4a		Black on White, White on Blue, White on Green, or White on Brown	CR-SL, ML	24 x 18
				E, F, O	36 x 24
M5-5	Combined with M5-5a		Black on White, White on Blue, White on Green, or White on Brown	CR-SL, ML	24 x 18
				E, F, O	36 x 24
M5-6	Combined with M5-6a		Black on White, White on Blue, White on Green, or White on Brown	CR-SL, ML	24 x 18
				E, F, O	36 x 24
M6-1	Combined with M6-1a		Black on White, White on Blue, White on Green, or White on Brown	B-P, B/RT	12 x 9
				CR-SL, ML	21 x 15
				E, F, O	30 x 21
M6-2 (R or L) Right is shown	Combined with M6-2a		Black on White, White on Blue, White on Green, or White on Brown	B-P, B/RT	12 x 9
				CR-SL, ML	21 x 15
				E, F, O	30 x 21
M6-3	Combined with M6-3a		Black on White, White on Blue, White on Green, or White on Brown	B-P, B/RT	12 x 9
				CR-SL, ML	21 x 15
				E, F, O	30 x 21



M Series



Sign Code	Old Sign Code	Sign Picture	Color	Use	Sign Size (inches)
M6-4	Combined with M6-4a		Black on White, White on Blue, White on Green, or White on Brown	B-P, B/RT	12 x 9
				CR-SL, ML	21 x 15
				E, F, O	30 x 21
M6-5 (R or L) Right is shown	Combined with M6-5a		Black on White, White on Blue, White on Green, or White on Brown	B-P, B/RT	12 x 9
				CR-SL, ML	21 x 15
				E, F, O	30 x 21
M6-6 (R or L) Right is shown	Combined with M6-6a		Black on White, White on Blue, White on Green, or White on Brown	B-P, B/RT	12 x 9
				CR-SL, ML	21 x 15
				E, F, O	30 x 21
M6-7 (R or L) Right is shown	Combined with M6-7a		Black on White, White on Blue, White on Green, or White on Brown	B-P, B/RT	12 x 9
				CR-SL, ML	21 x 15
				E, F, O	30 x 21
M6-X2 MN Design	Combined with M6-X2a		Black on White, White on Blue, White on Green, or White on Brown	B-P, B/RT	12 x 9
				CR-SL, ML	21 x 15
				E, F, O	30 x 21

G Series





Sign Code	Old Sign Code	Sign Picture	Color	Use	Sign Size (inches)
G20-1 MN Design			Black on Orange	CR-SL	60 x 24
				CR-ML, E, F	84 x 36
G20-2 MN Design	G20-2a		Black on Orange	CR-SL, ML	36 x 18
				E, F	48 x 24
G20-4			Black on Orange		36 x 18
G20-5aP			Black on Orange	CR-SL, ML	24 x 18
				E, F	36 x 24
				O	48 x 36
G20-X1 MN Design		 DETOURED	Black on Orange	B-P	36 x 30
				RA	54 x 48
				CR-SL, ML	72 x 60
				E, F	90 x 78
G20-X2 MN Design			Black on Orange	M	66 x 60
				CR-SL, ML	96 x 84
				E, F	174 x 102
G20-X3P MN Design	G20-X3	 Mount under G20-X1	Black on Orange		60 x 24
G20-X4 MN Design		 Construction Zone Business Signing	Black on Orange		72 x 18

G Series


Sign Code	Old Sign Code	Sign Picture	Color	Use	Sign Size (inches)
G20-X5 MN Design		 Contractor Identification Signing	Black on Orange		60 x 24
G20-X5a MN Design		 Contractor Identification Signing	Black on Orange		60 x 30
G20-X5b MN Design		 Contractor Identification Signing	Black on Orange		60 x 30
G20-X6 (R, L or T) MN Design Right is shown		 Variable Arrow Angle	Black on Orange	CR-SL	36 x 24
				CR-ML, E	48 x 36
				O	66 x 48
G20-X7 MN Design		 Variable Arrow Angle	Black on Orange	E, F	48 x 48
G20-X7P MN Design		 Use with G20-X7	Black on Orange	E, F	48 X 12
G20-X8 MN Design		Black on Orange		See TEM Section 8-6.02.02B for sign size, roadway designation and design.	
G20-X9 (R or L) MN Design Right is shown			Black on Orange		30 x 36
G20-X10 MN Design			Black on Orange		48 x 60

G Series





Sign Code	Old Sign Code	Sign Picture	Color	Use	Sign Size (inches)
G20-X11P MN Design	G20-X11	 Use under W20-5	Black on Orange	Use under 36" sign	48 x 24
				Use under 48" sign	78 x 36
G20-X12P MN Design	G20-X12	 Use under W20-X19 and W4-2	Black on Orange	Use under 36" sign	30 x 24
				Use under 48" sign	42 x 30
G20-X15 MN Design		 Advanced Short Term Notice	Black on Orange	B-P	30 x 36
				RA	36 x 42
				CR-SL	48 x 54
				CR-ML	60 x 72
				E, F	78 x 90
G20-X16 MN Design			Black on Orange		48 x 18
G20-X17 MN Design			Black on Orange		90 x 48
G20-X18 MN Design			Black on Orange		54 x 30
G20-X18P MN Design			Black on Orange		54 x 12
G20-X19 MN Design			Black on Orange		30 x 24
G20-X19P MN Design		 Use under G20-X19	Black on Orange		30 x 8
G20-X20 MN Design			Black on Orange		72 x 48
G20-X21 MN Design			Black on Orange		72 x 48

S Series

Sign Code	Old Sign Code	Sign Picture	Color	Use	Sign Size (inches)
S1-1			Black on Fluorescent Yellow-Green	M	30 x 30
				CR-SL, ML	36 x 36
				O	48 x 48
S3-1			Black on Fluorescent Yellow-Green	M	30 x 30
				CR-SL, ML	36 x 36
				O	48 x 48
S3-2M MN Design	S3-2a		Black on Fluorescent Yellow-Green	M	30 x 30
				CR-SL, ML	36 x 36
				O	48 x 48
S3-X1 MN Design			Black on White	CR-SL, ML	24 x 30
S4-1P MN Design			Black on White	CR-SL, ML	24 x 10
				O	36 x 18
S4-2P			Black on White	CR-SL, ML	24 x 10
				O	36 x 18
S4-3P			Black on Fluorescent Yellow-Green	CR-SL, ML	24 x 8
				O	36 x 12
S4-4P			Black on White	CR-SL, ML	24 x 10
				O	36 x 18
S4-5			Black on Fluorescent Yellow-Green	M	30 x 30
				CR-SL, ML	36 x 36
				O	48 x 48
S4-6P			Black on White	CR-SL, ML	24 x 10
				O	36 x 18

S Series

Sign Code	Old Sign Code	Sign Picture	Color	Use	Sign Size (inches)
S4-7P			Black on Fluorescent Yellow-Green	CR-SL, ML	24 x 12
				O	30 x 18
S5-1			Black on Fluorescent Yellow-Green	CR-SL, ML	24 x 48
				O	36 x 72
S5-2			Black on White	CR-SL, ML	24 x 30
				O	36 x 48
S5-3			Black on White	CR-SL, ML	24 x 30
				O	36 x 48

D Series

Sign Code	Old Sign Code	Sign Picture	Color	Use	Sign Size (inches)
D1-X1 (R, L or DH) MN Design Right and Dual Head are shown	D1-X2		White on Green	M	30 x 24
				CR-SL, ML	42 x 36
				E	66 x 48
D2-1M MN Design			White on Green	CR-SL, ML*	Var. x 18
				CR-ML*, E	Var. x 24
				* Multi-lane - use smaller height sign size for <45 mph and larger height sign size for 45 mph or greater.	
D2-2M MN Design			White on Green	CR-SL, ML*	Var. x 30
				CR-ML*, E	Var. x 36
				* Multi-lane - use smaller height sign size for <45 mph and larger height sign size for 45 mph or greater.	
D2-3M MN Design			White on Green	CR-SL, ML*	Var. x 42
				CR-ML*, E	Var. x 48
				* Multi-lane - use smaller height sign size for <45 mph and larger height sign size for 45 mph or greater.	
D3-1 MN Design	D3-X1	 For use on Mast Arms	White on Green		Var. x 24
D3-1M MN Design	D3-X2	 For use on Mast Arms	White on Green		Var. x 24
D3-1Ma MN Design	D3-X3	 For use on Mast Arms	White on Green		Var. x 48
D3-2M MN Design			White on Green	CR-SL	Var. x 30
				CR-ML	Var. x 42
D3-2Ma MN Design			White on Green	CR-SL	Var. x 54
				CR-ML	Var. x 72
D3-2Mb MN Design			White on Green	CR-SL	Var. x 54
				CR-ML	Var. x 72
D3-2Mc MN Design			White on Green	CR-SL	Var. x 60
				CR-ML	Var. x 78

D Series

Sign Code	Old Sign Code	Sign Picture	Color	Use	Sign Size (inches)
D4-1 (R or L) Right is shown			Green on White		30 x 24
D4-2 (R or L) Right is shown			White on Green	M	24 x 30
				CR-SL, ML	30 x 36
				E	36 x 48
D4-2M MN Design	D4-2a	 For on-site use	White on Green		36 x 42
D5-1			White on Blue	E, F	132 x 60
D5-1M			White on Blue	F	132 x 114
D5-1a			White on Blue	E	114 x 48
				F	132 x 60
D5-1aM (R or L) MN Design Right is shown	D5-X1a		White on Blue	CR-SL, ML	102 x 36
				E	120 x 48
D5-2		 Exit direction	White on Blue	CR-SL, ML	114 x 60
				E, F	132 x 66
D5-2M MN Design			White on Blue	CR-SL, ML	48 x 54
				E	60 x 66
D5-2a		 For use at gore	White on Blue	CR-SL, ML	42 x 48
				E	66 x 72
				F	78 x 78

D Series

Sign Code	Old Sign Code	Sign Picture	Color	Use	Sign Size (inches)
D5-6			White on Blue	CR-SL, ML	108 x 66
				E, F	132 x 78
D5-X1 (R or L) MN Design Right is shown		 LEFT	White on Blue	CR-SL, ML	36 x 36
		 LEFT	White on Blue	E	102 x 36
D5-X1P Overlay MN Design	D5-X1a		White on Blue	CR-SL, ML	36 x 12
					
		For use with D5-X1			
D5-X2 (R or L) MN Design Right is shown			White on Blue	CR-SL, ML	36 x 30
				E	84 x 66
D6-2M (R or L) MN Design Right is shown	D6-2a	 LEFT	White on Blue	CR-SL, ML	36 x 36
D6-3M (R or L) MN Design Right is shown	D6-3a		White on Blue	CR-SL, ML	36 x 30
D7-X1 (R or L) MN Design Right is shown			White on Brown	CR-SL, ML	36 x 36
D7-X2 (R or L) MN Design Right is shown			White on Brown	CR-SL, ML	36 x 30
D7-X3 MN Design	D5-X1c	 For on-site use	White on Brown		36 x 18
D7-X4 MN Design	D5-X1b	 For on-site use	White on Brown		36 x 18
D7-X5 (R or L) MN Design Right is shown			White on Brown	CR-SL, ML	36 x 36

D Series

Sign Code	Old Sign Code	Sign Picture	Color	Use	Sign Size (inches)
D7-X6 (R or L) MN Design Right is shown			White on Brown	CR-SL, ML	36 x 30
D7-X7 (R or L) MN Design Right is shown	D7-X5a		White on Brown	CR-SL, ML	36 x 36
D7-X8 (R, L or T) MN Design Right is shown	D7-X11		White on Brown	M	30 x 24
				CR-SL, ML	48 x 36
				E	60 x 48
D7-X9 (R, L or T) MN Design Right is shown	D7-X11a		White on Brown	M	30 x 24
				CR-SL, ML	48 x 36
				E	60 x 48
D7-X10 (R or L) MN Design Right is shown	D7-X7		White on Brown		Var. x 30
D7-X11 (R, L or T) MN Design Right is shown	D7-X10		White on Brown	M	18 x 24
				CR-SL, ML	30 x 36
				E	42 x 48
D7-X12 (R, L or T) MN Design Right is shown	D7-X15		White on Brown	M	24 x 24
				CR-SL, ML	36 x 36
				E	48 x 48
D7-X12a (R or L) MN Design Right is shown	D7-X15a		White on Brown	CR-SL, ML	48 x 36
				E	66 x 48
D7-X13 (R, L or T) MN Design Right is shown	D7-X9		White on Brown	M	18 x 24
				CR-SL, ML	30 x 36
				E	42 x 48
D7-X14 (R, L or T) MN Design Right is shown	D7-X20		White on Brown	M	30 x 24
				CR-SL, ML	48 x 36

D Series

Sign Code	Old Sign Code	Sign Picture	Color	Use	Sign Size (inches)
D7-X15 (R, L or T) MN Design Right is shown	D7-X12		White on Brown	M	30 x 24
				CR-SL, ML	42 x 36
				E	54 x 48
D7-X16 (R, L or T) MN Design Right is shown	D7-X21		White on Brown	M	24 x 24
				CR-SL, ML, E	36 x 36
D7-X17 (R, L or T) MN Design Right is shown	D7-X22		White on Brown	M	30 x 24
				CR-SL, ML, E	48 x 36
D7-X18 (R, L or T) MN Design Right is shown	D7-X16		White on Green	M	36 x 24
				CR-SL, ML	54 x 36
				E	72 x 48
D7-X19 (R, L or T) MN Design Right is shown			White on Green	M	30 x 24
				CR-SL, ML	42 x 36
				E	54 x 48
D7-X20 (R, L or T) MN Design Right is shown	D7-X17		White on Green	M	36 x 24
				CR-SL, ML	48 x 36
				E	66 x 48
D7-X21 (R, L or T) MN Design Right is shown	D1-X18		White on Green	M	36 x 24
				CR-SL, ML	48 x 36
				E	66 x 48
D7-X22 (R, L or T) MN Design Right is shown	D1-X1a		White on Green	M	30 x 18
				CR-SL, ML	54 x 24
				E	66 x 36
D7-X23 (R or L) MN Design Right is shown	D1-X1		White on Green	M	30 x 24
				CR-SL, ML	42 x 36
				E	54 x 48

D Series

Sign Code	Old Sign Code	Sign Picture	Color	Use	Sign Size (inches)
D7-X24 (R or L) MN Design Right is shown	D1-X9		White on Green	CR-SL, ML	30 x 36
				E	42 x 48
D7-X25 (R or L) MN Design Right is shown	D1-X4		White on Green	CR-SL, ML	48 x 12
				E	60 x 18
D7-X26 (R or L) MN Design Right is shown	D1-X6		White on Green	M	54 x 24
				CR-SL, ML	78 x 36
				E	102 x 48
D7-X27 (R or L) MN Design Right is shown	D1-X3		White on Green	M	36 x 24
				CR-SL, ML	48 x 36
				E	66 x 48
D7-X28 (R or L) MN Design Right is shown	D1-X5		White on Green	M	48 x 24
				CR-SL, ML	72 x 36
				E	96 x 48
D7-X29 (R, L or T) MN Design Right is shown	D1-X8		White on Green	M	36 x 24
				CR-SL, ML	54 x 36
				E	72 x 48
				O	90 x 60
D8-1	D8-X1		White on Green	CR-SL, ML, E	78 x 60
				F	96 x 72
D8-2M (R or L) MN Design Right is shown	D8-X2		White on Green	CR-SL, ML, E	84 x 48
				F	108 x 60
D8-3 (R or L) Right is shown	D8-X3		White on Green	E	66 x 60
				F	84 x 78
D8-3M (R or L) MN Design Right is shown	D8-X3		White on Green	CR-SL, ML, E	66 x 48

D Series

Sign Code	Old Sign Code	Sign Picture	Color	Use	Sign Size (inches)
RS-041	D7-Xp	 Sanitary Station	White on Brown	CR-SL, ML	24 x 24
				E, F	30 x 30
RS-044	D7-Xp	 Picnic Site	White on Brown	CR-SL, ML	24 x 24
				E, F	30 x 30
RS-046	D7-X14	 Cross Country Skiing	White on Brown	CR-SL, ML	24 x 24
				E, F	30 x 30
RS-047	D7-X13	 Downhill Skiing	White on Brown	CR-SL, ML	24 x 24
				E, F	30 x 30
RS-052	D7-Xp	 Snowmobile	White on Brown	CR-SL, ML	24 x 24
				E, F	30 x 30
RS-054	D7-Xp	 Boat Ramp	White on Brown	CR-SL, ML	24 x 24
				E, F	30 x 30
RS-061	D7-Xp	 Swimming	White on Brown	CR-SL, ML	24 x 24
				E, F	30 x 30
RS-064	D7-Xp	 Horse Trail	White on Brown	CR-SL, ML	24 x 24
				E, F	30 x 30

D Series

Sign Code	Old Sign Code	Sign Picture	Color	Use	Sign Size (inches)
RS-068	D7-Xp	 Hiking Trail	White on Brown	CR-SL, ML	24 x 24
				E, F	30 x 30
RS-076	D7-Xp	 Wildlife Viewing	White on Brown	CR-SL, ML	24 x 24
				E, F	30 x 30
RS-078	D7-Xp	 Snowshoeing	White on Brown	CR-SL, ML	24 x 24
				E, F	30 x 30
RS-079	D7-Xp	 Canoeing	White on Brown	CR-SL, ML	24 x 24
				E, F	30 x 30
RS-081	D7-Xp	 Rock Climbing	White on Brown	CR-SL, ML	24 x 24
				E, F	30 x 30
RS-X01 MN Design	D7-Xp	 Bicycle	White on Brown	CR-SL, ML	24 x 24
				E, F	30 x 30
RS-X02 MN Design	D7-Xp	 Campground	White on Brown	CR-SL, ML	24 x 24
				E, F	30 x 30
RS-X04 MN Design	D7-Xp	 Information	White on Brown	CR-SL, ML	24 x 24
				E, F	30 x 30